


PŮDORYS STŘECHY

50820




LEGENDA:

- | | |
|---|--|
| A | TEPELENÍ OBOJNODINOVÉHO PLÁSTĚ – KOKOVINÍ ZÁPLATKOVÍ CÍPŮVÝVOJÍ SYSTÉM, TEPELENÍ IZOLACI VNITŘNÍ – FASADNÍ IZOLACI DESKY PR. CÍPŮVÝVOJÍ ZNAČKA 600, 450 mm EPS tl. 160 mm, |
| B | TEPELENÍ IZOLACI VNITŘNÍ – FASADNÍ IZOLACI DESKY PR. CÍPŮVÝVOJÍ ZNAČKA 300 mm, EPS tl. 120 mm, |
| D | ZATEPLENÍ STŘEŠNÍHO PLÁSTĚ – IZOLACI DESKY Z MINERALNÍ VLNĚ TL. 220 mm+ POLYSTYRENU TL. 20 mm + NOKA HYDROIZOLACE 1x, PVC FOLIE 1mm, 1,5 mm |
| Z | ZATEPLENÍ ALARMY – EXTRUDOVANÝ POLYSTYRENU EPS tl. 50 mm |

POZNÁMKA:

- [illegible]

SCHÉMA



A
Name	2nd ed. / Revision	Ed. / Ver.
<p>Text: drawing is reference translation from English Czech text: 4.4.6 <i>The drawing is intellectual property of the company Terebin Czech Republic s.r.o.</i> <i>All data of magnetic and optical disks are used only together with approved documentation.</i></p> <p>ZÁVĚTÍ STŘEDNÍ ŠKOLY STROMOVKA 1/613, HAMBOV – ŠUMBAŘK</p>		
Author / Creator	MORAVSKOSILESKÝ KRAJ Záměstí 117, 702 18 OSTRAVA	
Inv. No. / Record No.	Ing. R. FOREL	Approved / Consented by
Working project / Checked by	Ing. DIZK	
Consent / Confirmed by	Ing. JOPUŠTIL	Terebin Terebin Czech Republic s.r.o. Prvního října 20 186 39 Píus 8 – Horní
Valid / Approved by:	Ing. JOPUŠTIL	Period / Date 12/2008
Sheet / Page	1:100	Scale / Size
Object / Building SO-04-TELEČOVKA		
Architecture		
Other version / Drawing Title		
5/56-000-5/3-SA-403		Page 4997